Diabetes Insulin Injection Addendum

Diabetes insum injection radicidum				School Voor	Dieture
DIABETES – Insulin Injection Addendum to IHP			School Year:	Picture	
Utah Department of Health & Human Services/					
Utah State Board of Education					
Otan State Board	or Education				
Student:	DOB: Grade		Grade:	School:	
Parent:	Phone:		Email:		
School Nurse:	School Phone:		Fax or Email:		
· · · · · · · · · · · · · · · · · · ·					
STUDENT DIABETES MANAGEMENT SKILLS		Needs	Assistance	Needs Supervision	Independent
Identifying feelings of hypoglycemia					
Checking blood glucose					
Measuring out insulin					
Administering insulin injection					
Independently counts carbohydrates					
INSULIN DEVICE					
☐ Syringe and vial ☐ Pen					
Type of insulin:					
Injection Site (Injections should be given subcutaneously and rotated).					
□ Abdomen □ Arm □ Buttock □ Thigh					
Mealtime Correction: ☐ Before meals only					
Insulin to carb ratio:unit for every grams of carbohydrates before meals.					
Correction dose:unit for every mg/dl for blood glucose above mg/dl.					
Insulin pen/vial expires 28 days after it is opened, pierced or stored outside of refrigerator.					
SPECIAL CONSIDERATIONS (PE, School Parties or Snacks, Field Trips, Academic testing)					
PE: Check BG before PE gram carb (free) snack before PE Other (specify):					
☐ Do not exercise if BG is belowmg/dl or symptomatic of hyperglycemia School parties or snacks: ☐ Student to save snack for lunchtime ☐ No coverage for snacks/parties					
☐ Student to take snack home ☐ Parent will provide alternate snack					
☐ Other (specify):					
Field Trips: Parent and school nurse must be notified of field trips in advance so proper planning and training					
can be accomplished.					
Please specify instructions:					
Academic Testing:					
☐ Student may reschedule academic testing with teacher, as needed, if blood glucose is below or over					
Other (specify):					
☐ Other considerations (specify):					
WHEN HYPERGLYCEMIA OCCURS OTHER THAN AT MEALTIME					
Correction doses can only be administered with meals at school.					
Other instructions for hyperglycemia:					
□ Notify parent/guardian					
Allow unrestricted access to the bathroom					
Give extra water and/or non-sugar-containing drinks (not fruit juices)					
PARENT ACKNOWLEDGEMENT					
☐ I understand if I adjust insulin doses delivered during school hours that I am responsible for contacting					
provider and requesting an updated p	rescriber orde	er be sen	t to the sch		
Parent Signature:			Date:		

Page 1 of 1 11/29/2022 DHHS